

University of Kelaniya – Sri Lanka
Centre for Distance & Continuing Education
Bachelor of Science (General) External
First Year First Semester Examination - 2024 (September 2025)
(New Syllabus)
Faculty of Science

Statistics
STAT 16513 / R – Fundamentals of Statistics

No. of Questions: Five (05) No. of Pages: Three (03) Time: Two & half (2 1/2) Hours

Answer all questions

Non-programmable calculators are allowed.

1.

- (a) Briefly explain three application areas of statistics in the real world. (15 marks)
- (b) “The role of statistics is considered important for professionals in all fields”. Do you agree with this statement? Justify your answer. (13 marks)
- (c) Briefly explain the two terms ‘descriptive statistics’ and ‘inferential statistics’. (20 marks)
- (d) An airline company wishes to find out the satisfaction of their customers about the several facilities offered by the airline. In order to conduct a survey, they made a list of all flights, and 25 flights were randomly selected for the study. All passengers on those flights were selected for the survey. Write down the *population*, the *sample*, the *parameter* and the *statistic* of this study. (12 marks)
- (e) Briefly explain the following terms: (40 marks)
 - (a) Observational study,
 - (b) Primary data collection,
 - (c) Nominal variable,
 - (d) Representative sample,
 - (e) Independent events.

2. The following are the ages at the time of inauguration for the first 40 Presidents of the United States of America:

57	61	57	58	57	61	54	68	51	49
64	50	48	65	52	56	46	54	49	50
47	55	42	51	56	55	51	54	51	60
62	43	55	56	61	52	69	64	46	54

- (a) Construct the group frequency distribution for the above data (Hint: limit grouping with classes of equal width of 5 and a first class of 40-44). (10 marks)
- (b) Calculate the mean, median, mode and standard deviation of the distribution of inauguration ages of presidents. (50 marks)
- (c) Compute and interpret the coefficient of skewness of the distribution. (15 marks)
- (d) Identify the shape of the distribution of ages at the time of inauguration using two suitable techniques. (25 marks)
- 3.
- (a) State and prove the Law of Total Probability. (20 marks)
- (b) Prove that for any two events A and B,

$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$
 (20 marks)
- (c) An aircraft emergency locator transmitter (ELT) is a device designed to transmit a signal in the case of a crash. The Alwis Manufacturing Company makes 80% of the ELTs, the Bandara Company makes 15% of them, and the Chandrasiri Company makes the other 5%. The ELTs made by Alwis have a 4% rate of defects, the Bandara ELTs have a 6% rate of defects, and the Chandrasiri ELTs have a 9% rate of defects.
- (i) If an ELT is randomly selected and tested and the test indicates that the ELT is defective, find the probability that it was manufactured by the Bandara Company. (30 marks)
- (ii) An ELT is randomly selected and tested. If the test indicates that the ELT is not defective, find the probability that it is from the Alwis Company. (30 marks)
4. A student attempts a test with 10 multiple choice questions, each given with four possible answers. The passing mark for the test is 60% or better. Suppose that the student was unable to find time to study for the test and just guessed at each question.
 (Note: Equal marks are allocated for each question.)
- (a) Find the probability that the student passes the test. (20 marks)
- (b) Determine the number of questions that you would expect the student to answer correctly. (15 marks)

- (c) It was found that the time taken to complete the test was distributed as a normal distribution with a mean of 40 minutes and a standard deviation of 10 minutes. Find the probability that a test-taker selected at random will take between 42 and 52 minutes to complete the exam. (20 marks)
- (d) Find the percentage of the test-takers who will finish the test in less than 30 minutes. (20 marks)
- (e) Students were entered into the test centre at an average rate of 3.2 per minute. Calculate the probability of entering 25 students into the test centre in a period of 5 minutes. (25 marks)

5.

- (a) Compare and contrast probability sampling techniques with non-probability sampling techniques. (20 marks)
- (b) Concisely describe the simple random sampling technique and the stratified sampling technique. (20 marks)
- (c) Briefly explain the sampling distribution with an example. (20 marks)
- (d) A company manufactures electronic equipment that is to be used in a wide range of temperatures. The company believes that increased temperature reduces the lifetime of the electronic equipment, and a study is performed with 9 randomly selected electronic equipment (Table 1 contains the collected data). Examine the belief of the company using two suitable statistical techniques. (40 marks)

Table 1: Temperature and Lifetime data

Temperature in Celsius	10	20	30	40	50	60	70	80	90
Lifetime in hours	420	365	285	220	176	117	69	34	05

-----End of the Paper-----

1092 Appendix

TABLE 1

Standard normal curve areas

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

z	Area
3.50	0.99976737
4.00	0.99996833
4.50	0.99999660
5.00	0.99999971




TABLE 1
 Standard normal curve areas

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

z	Area
-3.50	0.00023263
-4.00	0.00003167
-4.50	0.00000340
-5.00	0.00000029

Source: Computed by M. Longnecker using Splus.